

# Ruptured Ovarian Ectopic pregnancy a case report From Leku general Hospital, Ethiopia

**Asfaw Kibret\***

Department of Emergency Surgery, Leku general hospital, Ethiopia

**\*Corresponding Author:** Asfaw Kibret, Department of Emergency Surgery, Leku general hospital, Ethiopia

**Received Date:** January 05, 2025; **Accepted Date:** January 15, 2025; **Published Date:** January 20, 2025

**Citation:** Asfaw Kibret (2025). Ruptured Ovarian Ectopic pregnancy a case report From Leku general Hospital, Ethiopia, J *Ruptured Ovarian Ectopic pregnancy a case report From Leku general Hospital, Ethiopia*. 2(1) 06, DOI: -RA-25-006.

**Copyright:** Asfaw Kibret, et al © (2025). This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

## Abstract:

An ovarian ectopic pregnancy is rare occurrence and it is implantation of trophoblastic tissue in or on the ovarian tissue. Most of the time delayed for diagnosis due to its resemblance on ultrasound as hemorrhagic ovarian cyst, hemorrhagic corpus luteum cyst or endometrioma. Usually it ruptures in the first trimester of pregnancy and due to its rich blood supply it is deadly hemorrhagic once it is ruptured. We present a 26yrs old para 2 mother with the case of ruptured ovarian ectopic pregnancy who was diagnosed intraoperatively in our resource limited setup.

**Key words:** ectopic pregnancy; ovarian ectopic pregnancy; corpus luteum; Spiegelberg criteria; fallopian tubes; intrauterine pregnancy

## Introduction:

An ectopic pregnancy is characterized by implantation and development of trophoblast tissue outside of the uterine cavity. The most common site for ectopic pregnancy is in the fallopian tube with the incidence being 95-97%. There are also other rare sites like, cervical, ovarian, peritoneal and hysterotomy scar (1,2)


Ovarian ectopic pregnancy is implantation in the ovarian tissue and it is the rarest entity of ectopic pregnancies with estimates of frequency ranging from 1 in 7000 to 1 in 40000 pregnancies or 0.3 -3% of all ectopic pregnancies. Traditional indicators of risk for ovarian ectopic pregnancy are similar to those for tubal pregnancy, however intrauterine devices appear and reported to be more strongly related. (3,4).

Even if specific and typical features of ovarian ectopic pregnancy have not been reported, most cases presented with different duration of amenorrhea, lower abdominal pain and some present with spoty vaginal bleeding. Once it is ruptured patients present with sudden hemodynamic deterioration. So early diagnosis and management saves once life.

## Case report

This is a 26yrs old para 2 mother who presented to our Leku general hospital with the complain of sudden lower abdominal pain, vomiting and unspecified syncope. She had regular menstrual cycle but she missed her last menses 6wks back. She has

no hx of any contraceptive. She was complaining dull aching intermittent pelvic pain for last 1 week. Currently the pain was persistent and with sudden syncope. At presentation she was in shock with Blood pressure of 80/50mmgh, she was tachycardic with heart rate 110bpm. She had moderately pale conjunctiva. In the emergency department fluid resuscitation started and Investigation sent. Laboratory revealed with positive urine HCG, hematocrit 20.4% and blood group was B+ve. For this gynecological unit of the hospital was consulted and transabdominal ultrasound was done which revealed empty uterus, massive pelvic collection Lt side adnexal heterogeneous and anechoic collection. With impression of ruptured ectopic pregnancy she had been taken to operation theater and general anesthesia given and via the pfannenstien like incision abdomen opened, there was around 1200ml hemoperitoneum. The fallopian tubes were quite healthy looking. There was active bleeding from left ovary which is with ruptured ectopic and near to abort conceptus tissue from the ovary, later histopathology confirmed ovarian pregnancy (figure.1).



***Figure 1: intraoperative picture of ruptured Left ovarian ectopic pregnancy.***

Left side oophorectomy was done since the patient was hemodynamically unstable and there was multiple oozers from the left ovary. Intraoperatively after hemostasis secured, 1 unit blood transfusion started. Patient awake, extubated and transferred to recovery unit. Her post operative stay was uneventful and discharged on the 3rd day. On follow up appointment she visited the gynecologic clinic in stable condition.

## Discussion

Primary ovarian pregnancy is one of the rarest extra uterine pregnancy. The incidence of ovarian ectopic pregnancies has increased over the past decades from 0.7% to 1 of all ectopic pregnancies in the 1950s to up to 3.5% in recent studies. There are two types of ovarian ectopic pregnancies; 1-Intrafollicular ovarian pregnancy when the ovum remains trapped within the follicle and fertilization occurs within the follicle and not expelled. 2-Extrafollicular ovarian pregnancy when the mature ovum is fertilized outside the ovary and implants on its surface. According to systematic reviews ovarian pregnancies seem to be associated with similar causal factors as extra uterine pregnancies, such as PID, IVF, previous ectopic pregnancy, intrauterine devices or tubal surgery however intrauterine devices (IUDs) appears to be more strongly related. (4,5)

The exact cause of implantation in the ovarian ectopic pregnancies is uncertain, but several hypotheses have been proposed: 1, delayed ovum release 2, thickening of the tunica albuginea 3, tubal dysfunction 4, use of IUDs. are among the few to mention. Thinking of these, researches suggest and tried to mention two hypothesis and attempt to explain the cause under this hypotheses. One theory suggests fertilization occurs normally and the fertilized egg then reflexes from the fallopian tube to the ovary, where it implants. The alternative hypothesis proposes the egg is fertilized within the ovarian follicle before it is released, leading to implantation on the ovary. (4,6)

Mostly patients of ectopic pregnancy comes with triade of delayed menstruation,pain,vaginal bleeding or spotting and a positive pregnancy test.however ,only 50% of patients present with typical symptomatology.Mostly before rupture of the ectopic pregnancy,the ovarian ectopic pregnancies are delayed in diagnosis and missed than the tubal ectopic pregnancies.Because the gestational sac of an ovarian ectopic pregnancy resembles a hemorrhagic corpus luteum cyst or ovarian endometrioma or other hemorrhagic simple ovarian cysts on ultrasound.So high level suspicion is mandatory in these type of cases.Most of the time ovarian ectopic pregnancy is diagnosed intraoperatively.There is Spiegelberg's criteria which rely on intraoperative findings and include;1-an intact fallopian tube on the involved side;2-the gestational sac within the ovary; 3-the ovary attached to the utero-ovarian ligament and 4-on histological examination the ovarian tissue present in the wall of the gestational sac.(7,8) The preoperative diagnosis of an ovarian ectopic pregnancy can be difficult because the symptoms are not specific and the ultrasound diagnosis is also difficult where there is no advanced ultrasound is available in most resource limited areas like our setups.

Usually ovarian ectopic pregnancy rupture in the 1st trimester of pregnancy and it is associated with significant maternal morbidity and mortality,due to the risk of internal hemorrhage and hemodynamic instability.Since the ovarian tissue is rich in blood supply,it can lead to deadly hemorrhage once the ovarian ectopic pregnancy is ruptured.(6)

Surgical management is the treatment choice in the case of ovarian ectopic pregnancies.Open surgery is still comes the first hand in most resource limited areas like our setup.If ovarian ectopic has been diagnosed the management may include salpingo-oophorectomy, oophorectomy, wedge resection, and removal of gestational product with ovarian tissue preservation(9,10)

#### **Conclusion:**

Evenif ovarian ectopic pregnancy is rare entity,it can present with deadly maternal mortality morbidity unless managed early.The first thing in the management of ovarian ectopic pregnancy is securing hemostasis but if it is posible preserving the fertility by ovarian preservation surgeries like wedge resection of ovary will be gratefull for those who have a plan for more birth.Early detection and appropriate management are critical to prevent life-threatening complications.

**Acknowledgement:** Great appreciation and apraizal for all staffs who are involved in the management of the case.

**Fund:** no fund

**Conflict of interest:** none

**Ethical approval:** We have obtained written informed consent for publication from the patient.

#### **References:**

1. Jayson JA, Mandrelle K, Chander A, Issacs R. Case report of ruptured ovarian ectopic pregnancy. Int J Reprod Contracept Obstet Gynecol. 2022; 11:1779-1781.  
[View at Publisher](#) | [View at Google Scholar](#)
2. Kibret A., Adisu A., Zekarias Z., Tesema D., Alemayehu H., et al. (2024). Ruptured Tubal Stump Ectopic Pregnancy After Previous Ipsilateral Salpingectomy: A Case Report and Literature Review, Clinical Case Reports and Studies, BioRes Scientia Publishers. 7(5):1-3. DOI: 10.59657/2837-2565.brs.24.201  
[View at Publisher](#) | [View at Google Scholar](#)
3. Johnston B. Ovarian pregnancy in association with a Copper 7 intrau-terine contraceptive device. J R Army Med Corps. 1987;133(2):94-95  
[View at Publisher](#) | [View at Google Scholar](#)
4. Elizabeth K, Venugopal A. A case report of ruptured ovarian ectopic pregnancy. Int J Reprod Contracept Obstet Gynecol 2024; 13:2529-2560  
[View at Publisher](#) | [View at Google Scholar](#)
5. Tehrani HG, et al. Ovarian ectopic pregnancy: a rare case. Iran J Reprod Med. 2014;12(4):281
6. Solangon SA, Naftalin J, Jurkovic D. Ovarian ectopic pregnancy: clinical characteristics, ultrasound diagnosis and management. Ultrasound Obstet Gynecol. 2024; 63:815-823  
[View at Publisher](#) | [View at Google Scholar](#)
7. Bouab M, Touimi AB, Jalal M, Lamrissi A, Fichtali K, Bouhya S. Diagnosis and management of ectopic ovarian pregnancy: a rare case report. Int J Surg Case Rep. 2022; 91:106742.  
[View at Publisher](#) | [View at Google Scholar](#)

8. Van Mello NM, Mol F, Opmeer BC, et al. Diagnostic value of serum hCG on the outcome of pregnancy of unknown location: a systematic review and meta-analysis. Hum Reprod Update 18 (2012): 603-617.  
[View at Publisher](#) | [View at Google Scholar](#)
9. Al-Dabal HJ, Al Zahrani M, Al Rabiah HA, Khan L (2022) Ovarian Ectopic Pregnancy: A Case Report. J Med Case Rep Case Series 3(14):  
[View at Publisher](#) | [View at Google Scholar](#)
10. Meena P, Bhojwani P, Verma G.S. Ovarian ectopic pregnancy: a case report with review of literature. Obs Rev:J obstet Gynecol 2017;3(3):25-32.doi:10.17511/joog.2017.i03.03  
[View at Publisher](#) | [View at Google Scholar](#)

Submit your next manuscript to ScienceFrontier and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Research which is freely available for redistribution
- Submit your manuscript at: <https://sciencefrontier.org/submit-manuscript?e=2>



© The Author(s) 2024. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license,